

86409

Application No. _____

**APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER
OF USE AND PLACE OF USE OF THE PUBLIC WATERS
OF THE STATE OF NEVADA HERETOFORE APPROPRIATED**

THIS SPACE FOR OFFICE USE ONLY

Date of filing in State Engineer's Office AUG 19 2016

Returned to applicant for correction _____

Corrected application filed _____ Map filed Aug. 19, 2016 Under 86406The applicant Allen G. Nel12300 N. Tonto Road of Prescott
Street Address or P.O. Box City or TownArizona, 86305, hereby make(s) application for permission to change the
State and Zip Code☒ Point of Diversion ☒ Place of Use ☒ Manner of Use ☐ Period of Use ☐ of a Portionof water heretofore appropriated under Permit 63541, Certificate 15549
Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.1. The source of water is underground
Name of stream, lake, underground, spring or other sources.2. The amount of water to be changed 0.10 cfs, 13.81 ac-ft
Second feet, acre-feet. One second foot equals 448.83 gallons per minute.3. The water to be used for Recreation (Golf Course)
Irrigation, power, mining, commercial, etc. If for stock state number and kind of animals. Must limit to one major use.4. The water heretofore used for Recreation (Golf Course) and Domestic
If for stock state number and kind of animals.5. The water is to be diverted at the following point within the SW $\frac{1}{4}$ NE $\frac{1}{4}$ of Section 36, Township 19 South,
Describe as being within a 40-acre subdivision of public survey and by course and distance to a found section corner. If on unsurveyed land, it should be stated.Range 60 East M.D.M. at a point from which the West Quarter Corner of said Section 36 bears South 88° 36' West,
a distance of 2,727.5 feet.6. The existing point of diversion is located within the SW $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 31, Township 20 South,
If point of diversion is not changed, do not answer.Range 60 East M.D.M. at a point from which the Southwest Corner of said Section 31 bears South 76° 07' 40"
West, a distance of 3,215.95 feet.See map filed under permit 63538 for existing point of diversion.13-212
C1

7. Proposed place of use is a total of 106.3 acres within the NW $\frac{1}{4}$ NW $\frac{1}{4}$, NE $\frac{1}{4}$ NW $\frac{1}{4}$, SE $\frac{1}{4}$ NW $\frac{1}{4}$, NW $\frac{1}{4}$ NE $\frac{1}{4}$, NE $\frac{1}{4}$ NE $\frac{1}{4}$, SW $\frac{1}{4}$ NE $\frac{1}{4}$, SE $\frac{1}{4}$ NE $\frac{1}{4}$, NE $\frac{1}{4}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$ SW $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$, NE $\frac{1}{4}$ SE $\frac{1}{4}$ and the SW $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 36, all within Township 19 South, Range 60 East M.D.M.

8. Existing place of use 184.81 acres within the NW $\frac{1}{4}$ SW $\frac{1}{4}$, NE $\frac{1}{4}$ SW $\frac{1}{4}$, SW $\frac{1}{4}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$ SW $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$, NE $\frac{1}{4}$ SE $\frac{1}{4}$, SW $\frac{1}{4}$ SE $\frac{1}{4}$, SE $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 31, SW $\frac{1}{4}$ NW $\frac{1}{4}$, SE $\frac{1}{4}$ NW $\frac{1}{4}$, NW $\frac{1}{4}$ SW $\frac{1}{4}$, NE $\frac{1}{4}$ SW $\frac{1}{4}$ and the SW $\frac{1}{4}$ SW $\frac{1}{4}$ of Section 32 all within Township 20 South, Range 60 East M.D.M.
See map filed under permit 63538 for existing place of use.

9. Proposed use will be from January 1st to December 31st of each year.
Month and Day Month and Day

10. Existing use permitted from January 1st to December 31st of each year.
Month and Day Month and Day

11. Description of proposed works. (Under the provision of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works) Drill a ten (10) inch well to an approximate depth of 650 feet
State manner in which water is to be diverted, i.e. diversion structure, ditches, pipes and flumes or drilled well, pump and motor, etc.
with a submersible pump and underground distribution system to a sprinkler irrigation system.

12. Estimated cost of works >\$250,000

13. Estimated time required to construct works One (1) year
If well completed, describe well.

15. Estimated time required to complete the application of water to beneficial use Five (5) years

16. Provide a detailed description of the proposed project and its water usage (use attachments if necessary):
Failure to provide a detailed description may cause a delay in processing.

The water rights under existing permits 63538, 63539, 63540, 63541, 76313 and 76314 will be changed to the proposed place of use for use upon an existing golf course.

17. Miscellaneous

E-mail

(702) 525-1923
 Phone No.

By Robert Coache, P.E.
Print or type name clearly


 Signature, Applicant or Agent

Hydrotech Consulting Services, LLC
 Company Name

4280 North Tioga Way
 Street Address or P.O. Box

Las Vegas, NV 89129
 City, State, Zip Code

RECEIVED
 2016 AUG 19 AM 11:37
 ENGINEERS OFFICE

APPLICATION MUST BE SIGNED
 BY THE APPLICANT OR AGENT

\$240 FILING FEE MUST ACCOMPANY APPLICATION